NIP: 937 217 63 61

www.huse.com.pl biuro@huse.com.pl s.hulboj@huse.com.pl



name:

STREET WORKOUT GATE

SKU:

SW014

description:

Device that allows you to perform stretching and strength exercises, pull-ups, push-ups, sit-ups.



safety rules:

- Certified device
- · WSU:
- Maximum load 160 kg
- · Minimal increase 140 cm

dimentions (length x width)

1280 x 570 x 270 cm

safety zone:

1607 x 897 cm


technical specifications:

- Galvanized steel pipes min. 3 mm of thickness
- Pipe diameters: 33 and 48 mm
- · Powder coated twice
- Ladders and tubes are attached to the poles with M12 bolts, self-made bolt nuts
- Mounting orifice 200 x 200 x 8 mm, bolt M12
- Profiles 100x100 mm or 80x80 mm


tel. +48 600 269 537 NIP: 937 217 63 61 www.huse.com.pl biuro@huse.com.pl s.hulboj@huse.com.pl



view from the top:



cross-section:



items:


:0	bar ø 33,7 mm	5
•	high handrail ø 48,3 mm	6
	bench with a ladder	1
	horizontal ladder	1
20	vertical ladder	1
٠	diagonal ladder	1


www.huse.com.pl biuro@huse.com.pl s.hulboj@huse.com.pl




foundation:

NIP: 937 217 63 61







surfaces:

A safe surface should be made to absorb the fall:

- Sand grain size 0,25 to 2, minimum thickness 400 mm
- Gravel grain size 2 to 8, minimum thickness 400 mm
- Corck grain size 20 to 80, minimum thickness 400 mm
- **Shavings** grain size 5 to 30, minimum thickness 400 mm

Synthetic surfaces made in accordance with the PN-EN1177 standard.