NIP: 937 217 63 61

www.huse.com.pl biuro@huse.com.pl s.hulboj@huse.com.pl



name:

STREET WORKOUT GATE

SKU:

SW018

description:

Device that allows you to perform stretching and strength exercises, pull-ups, push-ups, sit-ups.



safety rules:

- · Certified device
- · WSU:
- · Maximum load 160 kg
- · Minimal increase 140 cm

dimentions (length x width)

370 x 250 x 250 cm

safety zone:

670 x 550 cm

technical specifications:

- Galvanized steel pipes min. 3 mm of thickness
- Pipe diameters: 33 and 48 mm
- · Powder coated twice
- Ladders and tubes are attached to the poles with M12 bolts, self-made bolt nuts
- Mounting orifice 200 x 200 x 8 mm, bolt M12
- Profiles 100x100 mm or 80x80 mm

ul. Młyńska 5 tel. +48 600 269 537 NIP: 937 217 63 61 www.huse.com.pl biuro@huse.com.pl s.hulboj@huse.com.pl




view from the top:


items:

bar ø 33,7 mm

20




cross-section:



tel. +48 600 269 537 NIP: 937 217 63 61 www.huse.com.pl biuro@huse.com.pl s.hulboj@huse.com.pl





surfaces:

A safe surface should be made to absorb the fall:

- Sand grain size 0,25 to 2, minimum thickness 400 mm
- **Gravel** grain size 2 to 8, minimum thickness 400 mm
- Corck grain size 20 to 80, minimum thickness 400 mm
- **Shavings** grain size 5 to 30, minimum thickness 400 mm

Synthetic surfaces made in accordance with the PN-EN1177 standard.